Material Safety Data Sheet

NITRO-FLUX



1. Product and company identification

Product name : NITRO-FLUX

Manufacturer : AIM

9100 Henri Bourassa East

Montreal, QC H1E 2S4 (514) 494-2000

In the United States:

AIM

25 Kenney Drive Cranston, RI 02920 (800) CALL-AIM

Validation date : 11/11/2015
Print date : 11/11/2015
In case of emergency : INFOTRAC

North America: (800) 535-5053 International: (352) 323-3500

Product type : Solid: Paste

2. Hazards identification

Emergency overview

Physical state : Solid.
Signal word : DANGER!

Hazard statements : CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS. HARMFUL IF INHALED,

ABSORBED THROUGH SKIN OR SWALLOWED. CONTAINS MATERIAL THAT CAN

CAUSE TARGET ORGAN DAMAGE.

Precautionary measures : Do not ingest. Use only with adequate ventilation. Do not get in eyes. Do not get on

skin. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin

and clothing. Keep container tightly closed. Wash thoroughly after handling.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Potential acute health effects

Inhalation : Toxic by inhalation. Corrosive to the respiratory system. Exposure to decomposition

products may cause a health hazard. Serious effects may be delayed following

exposure.

Ingestion : Toxic if swallowed. May cause burns to mouth, throat and stomach.

Skin : Corrosive to the skin. Causes burns. Toxic in contact with skin.

Eyes : Corrosive to eyes. Causes burns.

Potential chronic health effects

Chronic effects : Contains material that can cause target organ damage.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

No known significant effects or critical hazards.

11/11/2015

2. Hazards identification

Target organs : Contains material which causes damage to the following organs: eye, lens or cornea.

Contains material which may cause damage to the following organs: the nervous

system, cardiovascular system, upper respiratory tract, skin.

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : Adverse symptoms may include the following:

stomach pains

Skin : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Eyes: Adverse symptoms may include the following:

pain watering redness

Medical conditions aggravated by overexposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at

risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
zinc chloride ammonium chloride White mineral oil (petroleum)		20 - 30 0.1 - 10 0.1 - 10

Canada

Name	CAS number	%
zinc chloride	7646-85-7	20 - 30
ammonium chloride	12125-02-9	0.1 - 10
White mineral oil (petroleum)	8042-47-5	0.1 - 10

Mexico

					Classification			ation
Name	CAS number	UN number	%	IDLH	Н	F	R	Special
zinc chloride ammonium chloride White mineral oil (petroleum)	7646-85-7 12125-02-9 8042-47-5	UN2331 UN3077 Not available.	20 - 30 0.1 - 10 0.1 - 10	50 mg/m³ - 2500 mg/m³	3 2 0	0 0 1	0 0 0	- - -

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

11/11/2015 2/16

4. First aid measures

Eye contact

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation

: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Flammability of the product

: No specific fire or explosion hazard.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: nitrogen oxides

halogenated compounds

metal oxide/oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods for cleaning up

Small spill

: Move containers from spill area. Avoid dust generation. Do not dry sweep. Place spilled material in a designated, labeled waste container. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

11/11/2015 3/16

6. Accidental release measures

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

United States

Ingredient	Exposure limits
zinc chloride	ACGIH TLV (United States, 3/2015).
	TWA: 1 mg/m ³ 8 hours. Form: Fume
	STEL: 2 mg/m³ 15 minutes. Form: Fume
	ACGIH (United States, 0/1994).
	TWA: 1 mg/m³
	STEL: 2 mg/m³
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 1 mg/m³ 8 hours. Form: Fume
	STEL: 2 mg/m³ 15 minutes. Form: Fume
	NIOSH REL (United States, 10/2013).
	TWA: 1 mg/m³ 10 hours. Form: Fume
	STEL: 2 mg/m³ 15 minutes. Form: Fume
	OSHA PEL (United States, 2/2013).
	TWA: 1 mg/m³ 8 hours. Form: Fume
	OSHA (United States, 0/1989).
	TWA: 1 mg/m³
	STEL: 2 mg/m³
ammonium chloride	ACGIH TLV (United States, 3/2015).
	TWA: 10 mg/m³ 8 hours. Form: Fume
	STEL: 20 mg/m³ 15 minutes. Form: Fume
	NIOSH REL (United States, 10/2013).
	TWA: 10 mg/m³ 10 hours. Form: Fume
	STEL: 20 mg/m³ 15 minutes. Form: Fume
	ACGIH (United States, 0/1994).
	TWA: 10 mg/m³
	STEL: 20 mg/m³
	CEIL: 20 mg/m³
	NIOSH (United States, 0/1994).
	TWA: 10 mg/m³
	STEL: 20 mg/m³

11/11/2015 4/16

8. Exposure controls/personal protection

OSHA (United States, 0/1989).

TWA: 10 mg/m³
STEL: 20 mg/m³
OSHA PEL 1989 (United States, 3/1989).

TWA: 10 mg/m³ 8 hours.
STEL: 20 mg/m³ 15 minutes.

White mineral oil (petroleum)

ACGIH TLV (United States, 3/2015).

TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction
NIOSH REL (United States, 10/2013).

TWA: 5 mg/m³ 10 hours. Form: Mist
STEL: 10 mg/m³ 15 minutes. Form: Mist
OSHA PEL (United States, 2/2013).

TWA: 5 mg/m³ 8 hours.

Canada

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/ m³	Other	ppm	mg/ m³	Other	ppm	mg/ m³	Other	Notations
zinc chloride	US ACGIH 3/2015 AB 4/2009 BC 2/2015	-	1	-	-	2 2 2	-	-	-	-	[a] [3] [a]
	ON 7/2015 QC 1/2014	- - -	1 1	- - -	- - -	2 -	-	- -	- -	- -	[a] [a] [b]
ammonium chloride	US ACGIH 3/2015 AB 4/2009	- -	10 10	-	-	20 20	-	- -	-	-	[a] [3] [a]
	BC 2/2015 ON 7/2015 QC 1/2014	-	10 10 10	-	-	20 20 20	-	-	-	-	[a] [a] [b]
White mineral oil (petroleum)	US ACGIH 3/2015 AB 4/2009	- - -	5 5	- - -	-	- 10	-	- - -	- - -	- -	[c] [d]
	BC 2/2015 ON 7/2015	- -	1 5	-	-	10	-	-	-	-	[e]
	QC 1/2014	-	5	-	-	10	-	-	-	-	[e]

[3]Skin sensitization

Form: [a]Fume [b]fume [c]Inhalable fraction [d]Mist [e]mist

Mexico

Occupational exposure limits

Ingredient	Exposure limits
zinc chloride	NOM-010-STPS (Mexico, 9/2000).
	LMPE-PPT: 1 mg/m ³ 8 hours. Form: smoke
	LMPE-CT: 2 mg/m³ 15 minutes. Form: smoke
ammonium chloride	NOM-010-STPS (Mexico, 9/2000).
	LMPE-PPT: 10 mg/m ³ 8 hours. Form: smoke
	LMPE-CT: 20 mg/m³ 15 minutes. Form: smoke
White mineral oil (petroleum)	NOM-010-STPS (Mexico, 9/2000).
	LMPE-PPT: 5 mg/m³ 8 hours. Form: mist
	LMPE-CT: 10 mg/m³ 15 minutes. Form: mist

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Engineering measures

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

11/11/2015 *5/16*

8. Exposure controls/personal protection

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state : Solid.

10. Stability and reactivity

Chemical stability : The product is stable.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

United States

Acute toxicity

11/11/2015 6/16

11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
zinc chloride	LD50 Oral	Guinea pig	200 mg/kg	-
	LD50 Oral	Mouse	329 mg/kg	_
	LD50 Oral	Rat	350 mg/kg	_
	LD50 Oral	Rat	350 mg/kg	-
ammonium chloride	LD50 Oral	Mouse	1300 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
	LDLo Oral	Dog	600 mg/kg	-
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	-

Conclusion/Summary

: Not available.

Chronic toxicity

Conclusion/Summary: Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
zinc chloride	Skin - Severe irritant	Rabbit	-	120 hours 1 Percent	-
ammonium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-

Conclusion/Summary

: Not available.

Sensitizer

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
zinc chloride	-	-	-	-		None.
ammonium chloride	-	-	-	-	-	None.
White mineral oil (petroleum)	-	-	-	A4	-	-

Mutagenicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Canada

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
zinc chloride	LD50 Oral	Guinea pig	200 mg/kg	-
	LD50 Oral	Mouse	329 mg/kg	-
	LD50 Oral	Rat	350 mg/kg	-
	LD50 Oral	Rat	350 mg/kg	-
ammonium chloride	LD50 Oral	Mouse	1300 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
	LDLo Oral	Dog	600 mg/kg	-
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	-

11/11/2015 7/16

11. Toxicological information

Conclusion/Summary

: Not available.

Chronic toxicity

Conclusion/Summary

: Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
zinc chloride	Skin - Severe irritant	Rabbit	-	120 hours 1 Percent	-
ammonium chloride	Eyes - Mild irritant	Rabbit	_	24 hours 500 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-

Conclusion/Summary

: Not available.

Sensitizer

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary

: Not available.

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
zinc chloride	-	-	-	None.	-	-
ammonium chloride	-	-	-	None.	-	-
White mineral oil (petroleum)	A4	-	-	-	-	-

Mutagenicity

Conclusion/Summary

: Not available.

Teratogenicity

Conclusion/Summary

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

Mexico

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
zinc chloride	LD50 Oral	Guinea pig	200 mg/kg	-
	LD50 Oral	Mouse	329 mg/kg	-
	LD50 Oral	Rat	350 mg/kg	-
	LD50 Oral	Rat	350 mg/kg	-
ammonium chloride	LD50 Oral	Mouse	1300 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
	LDLo Oral	Dog	600 mg/kg	-
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	-

Conclusion/Summary

: Not available.

Chronic toxicity

Conclusion/Summary

: Not available.

Irritation/Corrosion

11/11/2015 8/16

11. Toxicological information

Product/ingredient name	Result	Score	Score	Exposure	Observation
zinc chloride	Skin - Severe irritant	Rabbit	-	120 hours 1 Percent	-
ammonium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-

Conclusion/Summary

: Not available.

Sensitizer

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary

: Not available.

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
zinc chloride	-	-		None.	-	-
ammonium chloride	-	-	-	None.	-	-
White mineral oil (petroleum)	A4	-	-	-	-	-

Mutagenicity

Conclusion/Summary

: Not available.

Teratogenicity

Conclusion/Summary

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

Other information

: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

12. Ecological information

Ecotoxicity

: Water polluting material. May be harmful to the environment if released in large quantities.

United States

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
zinc chloride	Acute EC50 26 µg/l	Algae - Navicula incerta	96 hours
	Acute EC50 34 μg/l Fresh water	Algae - Chlorella vulgaris - Exponential growth phase	72 hours
	Acute EC50 1.8 mg/l Fresh water	Aquatic plants - Lemna aequinoctialis	96 hours
	Acute EC50 100 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 49.99 µg/l Fresh water	Crustaceans - Moina irrasa - Neonate	48 hours
	Acute LC50 0.027 mg/l Marine water	Fish - Limanda punctatissima - Pre-larvae	96 hours
	Chronic NOEC 20 µg/l Marine water	Algae - Chlorella sp Exponential growth phase	72 hours
	Chronic NOEC 1000 µg/l Fresh water	Crustaceans - Procambarus	21 days

11/11/2015 9/16

12. Ecological information

	Chronic NOEC 80 μg/l Fresh water	clarkii - Intermolt Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling,	21 days
ammonium chloride	Chronic NOEC 31.5 µg/l Fresh water Acute EC50 0.07 mg/l Marine water	Weanling) Fish - Oncorhynchus mykiss Algae - Hormosira banksii -	30 days 72 hours
	Acute LC50 20 μg/l Fresh water	Gamete Crustaceans - Macrobrachium rosenbergii - Post-larvae	48 hours
	Acute LC50 390 μg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 80 μg/l Fresh water Chronic EC10 0.03 mg/l Fresh water Chronic NOEC 0.6 mg/l Marine water	Fish - Oncorhynchus mykiss Daphnia - Daphnia obtusa Algae - Entomoneis punctulata - Exponential growth phase	96 hours 21 days 72 hours
	Chronic NOEC 330 μg/l Fresh water	Crustaceans - Crangonyx sp Juvenile (Fledgling, Hatchling, Weanling)	21 days
	Chronic NOEC 0.006 mg/l Fresh water	Fish - Ictalurus punctatus - Fry	30 days

Conclusion/Summary

Persistence/degradability

Conclusion/Summary: Not available.

: Not available.

Canada

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
zinc chloride	Acute EC50 26 μg/l	Algae - Navicula incerta	96 hours
	Acute EC50 34 µg/l Fresh water	Algae - Chlorella vulgaris - Exponential growth phase	72 hours
	Acute EC50 1.8 mg/l Fresh water	Aquatic plants - Lemna aequinoctialis	96 hours
	Acute EC50 100 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 49.99 µg/l Fresh water	Crustaceans - Moina irrasa - Neonate	48 hours
	Acute LC50 0.027 mg/l Marine water	Fish - Limanda punctatissima - Pre-larvae	96 hours
	Chronic NOEC 20 µg/l Marine water	Algae - Chlorella sp Exponential growth phase	72 hours
	Chronic NOEC 1000 μg/l Fresh water	Crustaceans - Procambarus clarkii - Intermolt	21 days
	Chronic NOEC 80 μg/l Fresh water	Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	21 days
	Chronic NOEC 31.5 µg/l Fresh water	Fish - Oncorhynchus mykiss	30 days
ammonium chloride	Acute EC50 0.07 mg/l Marine water	Algae - Hormosira banksii - Gamete	72 hours
	Acute LC50 20 μg/l Fresh water	Crustaceans - Macrobrachium rosenbergii - Post-larvae	48 hours
	Acute LC50 390 μg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 80 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.03 mg/l Fresh water	Daphnia - Daphnia obtusa	21 days
	Chronic NOEC 0.6 mg/l Marine water	Algae - Entomoneis punctulata - Exponential growth phase	72 hours
	Chronic NOEC 330 μg/l Fresh water	Crustaceans - Crangonyx sp Juvenile (Fledgling, Hatchling, Weanling)	21 days

11/11/2015 10/16

12. Ecological information

Chronic NOEC 0.006 mg/l Fresh water | Fish - Ictalurus punctatus - Fry | 30 days

Conclusion/Summary

Persistence/degradability

Conclusion/Summary

: Not available.: Not available.

Mexico

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
zinc chloride	Acute EC50 26 μg/l	Algae - Navicula incerta	96 hours
	Acute EC50 34 µg/l Fresh water	Algae - Chlorella vulgaris -	72 hours
		Exponential growth phase	
	Acute EC50 1.8 mg/l Fresh water	Aquatic plants - Lemna aequinoctialis	96 hours
	Acute EC50 100 μg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 49.99 µg/l Fresh water	Crustaceans - Moina irrasa - Neonate	48 hours
	Acute LC50 0.027 mg/l Marine water	Fish - Limanda punctatissima - Pre-larvae	96 hours
	Chronic NOEC 20 µg/l Marine water	Algae - Chlorella sp Exponential growth phase	72 hours
	Chronic NOEC 1000 µg/l Fresh water	Crustaceans - Procambarus clarkii - Intermolt	21 days
	Chronic NOEC 80 µg/l Fresh water	Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	21 days
	Chronic NOEC 31.5 µg/l Fresh water	Fish - Oncorhynchus mykiss	30 days
ammonium chloride	Acute EC50 0.07 mg/l Marine water	Algae - Hormosira banksii - Gamete	72 hours
	Acute LC50 20 μg/l Fresh water	Crustaceans - Macrobrachium rosenbergii - Post-larvae	48 hours
	Acute LC50 390 µg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 80 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.03 mg/l Fresh water	Daphnia - Daphnia obtusa	21 days
	Chronic NOEC 0.6 mg/l Marine water	Algae - Entomoneis punctulata - Exponential growth phase	72 hours
	Chronic NOEC 330 μg/l Fresh water	Crustaceans - Crangonyx sp Juvenile (Fledgling, Hatchling, Weanling)	21 days
	Chronic NOEC 0.006 mg/l Fresh water	Fish - Ictalurus punctatus - Fry	30 days

Conclusion/Summary

Persistence/degradability

Conclusion/Summary

: Not available.

: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been

11/11/2015 11/16

13. Disposal considerations

cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

					information
1759	CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	8	III	8	This product is not regulated as a marine pollutant when transported on inland waterways in sizes of ≤5 L or ≤5 kg or by road, rail, or inland air in non-bulk sizes, provided the packagings meet the general provisions of §§ 173.24 and 173. 24a. Reportable quantity 4787 lbs / 2173.3 kg Package sizes shipped in quantities
					less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.
1759	CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	8	III	***************************************	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.40-2. 42 (Class 8), 2.7 (Marine pollutant mark).
					mark is not required when transported by road or rail.
1759	CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	8	III	8	-
	1759	SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride) 1759 CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)

11/11/2015 12/16

14. Transport information

•						
ADR/RID Class	1759	CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	8	III		The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. Tunnel code (E)
IMDG Class	1759	CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	8	III	*	The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.
IATA-DGR Class	1759	CORROSIVE SOLIDS, N.O.S. (Ammonium chloride, Zinc chloride)	8	III		The environmentally hazardous substance mark may appear if required by other transportation regulations.

PG*: Packing group

15. Regulatory information

United States

HCS Classification : Toxic material

> Corrosive material Target organ effects

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

> All components are listed or exempted. Clean Water Act (CWA) 307: zinc chloride

Clean Water Act (CWA) 311: zinc chloride; ammonium chloride

Clean Air Act Section 112 : Not listed

(b) Hazardous Air **Pollutants (HAPs)**

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602

: Not listed

Class II Substances

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

11/11/2015 13/16

15. Regulatory information

Classification : Immediate (acute) health hazard
Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	_	Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
zinc chloride	20 - 30		No.	No.	Yes.	Yes.
ammonium chloride	0.1 - 10		No.	No.	Yes.	Yes.
White mineral oil (petroleum)	0.1 - 10		No.	No.	No.	Yes.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	zinc chloride ammonium chloride		20 - 30 0.1 - 10
Supplier notification	zinc chloride ammonium chloride	7646-85-7 12125-02-9	20 - 30 0.1 - 10

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: zinc chloride; ammonium chloride

New York : The following components are listed: Zinc chloride; Ammonium chloride

New Jersey : The following components are listed: zinc chloride; ammonium chloride; MINERAL OIL

(UNTREATED and MILDLY TREATED)

Pennsylvania: The following components are listed: zinc chloride; ammonium chloride

United States inventory

(TSCA 8b)

: All components are listed or exempted.

Canada

WHMIS (Canada) : Class E: Corrosive material

Canadian lists

Canadian NPRI : The following components are listed: Zinc (and its compounds); Ammonia (total); White

mineral oil

CEPA Toxic substances : None of the components are listed.Canada inventory : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification :



International regulations

11/11/2015 14/16

15. Regulatory information

International lists Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: Not determined.

Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted.

Chemical Weapons

Convention List Schedule

I Chemicals

Chemical Weapons : Not listed

Convention List Schedule

II Chemicals

Chemical Weapons Convention List Schedule

III Chemicals

: Not listed

: Not listed

16. Other information

Label requirements

: CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS. HARMFUL IF INHALED, ABSORBED THROUGH SKIN OR SWALLOWED. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a quideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of printing : 11/11/2015

11/11/2015 15/16

16. Other information

Date of issue: 11/11/2015Date of previous issue: 7/27/2015Version: 0.06

Prepared by : Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

11/11/2015 16/16