



Description

Whether you're manufacturing for Aerospace, Radiators/Heat Exchangers, Cladding, or even Medical and Dental applications; AIM products will meet or exceed your specifications. AIM provides the materials and technical support needed to ensure a robust, environmentally sound, cost effective process.

AIM Foils can be custom made to meet our customers demanding or unique requirements. AIM's proprietary manufacturing processes and advanced quality procedures ensure that every product we ship is exactly matched to optimize your application. AIM offers extruded and rolled precision foils from 0.0015 thick and widths up to 5" wide in continuous lengths on a 3" cardboard core, with custom packaging available. Every AIM Foil is manufactured and inspected to ensure a smooth bright surface finish; free of inclusions, free of processing oils and dirt, nicks, kinks or burr's and is supplied continuous lengths (no breaks) on evenly wound spools.

Capabilities

Thickness minimum	.0015"
Thickness tolerance	(Milled) +/- 0.0005" (not milled) +/- 0.032"
Width minimum	0.25"
Width maximum	5.00"
Width tolerance (slit)	+/- 0.005"
Width tolerance (not slit)	+/- 0.032"
Camber (over 36")	0.125" max
Standard coil core sizes	3, 6, 12" ID
Coil weights minimum	5 lbs.
Coil weights maximum (varies w/alloy and width)	25 lbs./50 lbs.

Canada +1-514-494-2000 · USA +1-401-463-5605 · Mexico +52-656-630-0032 · Europe +44-1737-222-258Asia-Pacific +86-755-2993-6487 · India +91-80-41554753 · info@aimsolder.com · www.aimsolder.com

AIM IS ISO9001:2008 & ISO14001:2004 CERTIFIED

The information contained herein is based on data considered accurate and is offered at no charge. Product information is based upon the assumption of proper handling and operating conditions. All information pertaining to solder paste is produced with 45-micron powder. Liability is expressly disclaimed for any loss or injury arising out of the use of this information or the use of any materials designated. Please refer to <http://www.aimsolder.com/Home/TermsConditions.aspx> to review AIM's terms and conditions.